



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead in Drinking Water Analysis Report

Client: LEW Corp
181 US Hwy 46
Mine Hill, NJ 07803

Report Number: 22-05-04595

Received Date: 05/24/2022

Reported Date: 06/01/2022

Sampled By: Gregory Byles

Tech Certification #:

Project/Test Address: 220068; CBL; 46 Schoolhouse Rd; Wrightstown, NJ 08562

Client Number:
201327

Laboratory Results

Fax Number:
Ext 18 Melissa

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
22-05-04595-001	CBL-1-KS	05/20/2022	CBL - KITCHEN SINK 1	<1.00	06/01/2022	
22-05-04595-002	CBL-2-KS	05/20/2022	CBL - KITCHEN SINK 2	<1.00	06/01/2022	
22-05-04595-003	CBL-3-SB	05/20/2022	CBL - ROOM 140 SINK	<1.00	06/01/2022	
22-05-04595-004	CBL-4-SB	05/20/2022	CBL - ROOM 142 SINK	<1.00	06/01/2022	
22-05-04595-005	CBL-5-SB	05/20/2022	CBL - ROOM 144 SINK	<1.00	06/01/2022	
22-05-04595-006	CBL-6-SB	05/20/2022	CBL - ROOM 146 SINK	<1.00	06/01/2022	
22-05-04595-007	CBL-7-SB	05/20/2022	CBL - ROOM 148 SINK	<1.00	06/01/2022	
22-05-04595-008	CBL-8-SB	05/20/2022	CBL - ROOM 150 SINK	<1.00	06/01/2022	
22-05-04595-009	CBL-9-SB	05/20/2022	CBL - ROOM 152 SINK	<1.00	06/01/2022	
22-05-04595-010	CBL-10-SB	05/20/2022	CBL - ROOM 168 SINK	1.96	06/01/2022	
22-05-04595-011	CBL-11-SB	05/20/2022	CBL - ROOM 143 SINK	<1.00	06/01/2022	
22-05-04595-012	CBL-12-SB	05/20/2022	CBL - ROOM 145 SINK	<1.00	06/01/2022	
22-05-04595-013	CBL-13-SB	05/20/2022	CBL - ROOM 149 SINK	<1.00	06/01/2022	

Environmental Hazards Services, L.L.C

Client Number: 201327
Project/Test Address: 220068; CBL; 46 Schoolhouse Rd; Wrightstown, NJ 08562

Report Number: 22-05-04595

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
22-05-04595-014	CBL-14-SB	05/20/2022	CBL - ROOM 151 SINK	<1.00	06/01/2022	
22-05-04595-015	CBL-15-KS	05/20/2022	CBL - KITCHEN SINK 3	<1.00	06/01/2022	
22-05-04595-016	CBL-16-KS	05/20/2022	CBL - KITCHEN SINK 4	<1.00	06/01/2022	
22-05-04595-017	CBL-17-KS	05/20/2022	CBL - KITCHEN SINK 5	<1.00	06/01/2022	
22-05-04595-018	CBL-18-LAV	05/20/2022	CBL - KITCHEN LAV SINK	<1.00	06/01/2022	
22-05-04595-019	CBL-19-SB	05/20/2022	CBL - ROOM 147 SINK	<1.00	06/01/2022	
22-05-04595-020	CBL-20-WCL	05/20/2022	CBL - WC NEAR ROOM 148 LEFT	<1.00	06/01/2022	
22-05-04595-021	CBL-21-WCR	05/20/2022	CBL - WC NEAR ROOM 148 RIGHT	1.30	06/01/2022	
22-05-04595-022	CBL-22-WC	05/20/2022	CBL - WC NEAR ROOM 146	1.08	06/01/2022	
22-05-04595-023	CBL-23-S	05/20/2022	CBL - ROOM 154 SINK 1	<1.00	06/01/2022	
22-05-04595-024	CBL-24-S	05/20/2022	CBL - ROOM 154 SINK 2	<1.00	06/01/2022	
22-05-04595-025	CBL-25-WC	05/20/2022	CBL - WC NEAR ROOM 154	1.02	06/01/2022	
22-05-04595-026	CBL-26-LAV	05/20/2022	CBL - BOY'S LAV 1	<1.00	06/01/2022	
22-05-04595-027	CBL-27-LAV	05/20/2022	CBL - BOY'S LAV 2	<1.00	06/01/2022	
22-05-04595-028	CBL-28-LAV	05/20/2022	CBL - BOY'S LAV 3	<1.00	06/01/2022	
22-05-04595-029	CBL-29-CS	05/20/2022	CBL - ROOM 155 CUST SINK	<1.00	06/01/2022	
22-05-04595-030	CBL-30-LAV	05/20/2022	CBL - GIRL'S LAV 1	1.07	06/01/2022	
22-05-04595-031	CBL-31-LAV	05/20/2022	CBL - GIRL'S LAV 2	<1.00	06/01/2022	
22-05-04595-032	CBL-32-LAV	05/20/2022	CBL - GIRL'S LAV 3	<1.00	06/01/2022	
22-05-04595-033	CBL-33-LAV	05/20/2022	CBL - HALL LAV LEFT	<1.00	06/01/2022	

Environmental Hazards Services, L.L.C

Client Number: 201327
Project/Test Address: 220068; CBL; 46 Schoolhouse Rd; Wrightstown, NJ 08562

Report Number: 22-05-04595

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
22-05-04595-034	CBL-34-LAV	05/20/2022	CBL - HALL LAV RIGHT	<1.00	06/01/2022	
22-05-04595-035	CBL-35-LAV	05/20/2022	CBL - ROOM 156 LAV	<1.00	06/01/2022	
22-05-04595-036	CBL-36-WC	05/20/2022	CBL - WC NEAR ROOM 142	<1.00	06/01/2022	
22-05-04595-037	CBL-37-LAV	05/20/2022	CBL - ROOM 137 LAV	1.41	06/01/2022	
22-05-04595-038	CBL-38-WC	05/20/2022	CBL - WC NEAR ROOM 137	<1.00	06/01/2022	
22-05-04595-039	CBL-39-LAV	05/20/2022	CBL - ROOM 150 LAV	<1.00	06/01/2022	
22-05-04595-040	CBL-40-LAV	05/20/2022	CBL - ROOM 151 BOY'S LAV	<1.00	06/01/2022	
22-05-04595-041	CBL-41-LAV	05/20/2022	CBL - ROOM 151 GIRL'S LAV	<1.00	06/01/2022	
22-05-04595-042	CBL-42-LAV	05/20/2022	CBL - ROOM 152 BOY'S LAV	<1.00	06/01/2022	
22-05-04595-043	CBL-43-LAV	05/20/2022	CBL - ROOM 152 GIRL'S LAV	<1.00	06/01/2022	
22-05-04595-044	CBL-44-S	05/20/2022	CBL - ROOM 160 OFFICE SINK	<1.00	06/01/2022	
22-05-04595-045	CBL-46-S	05/20/2022	CBL - ROOM 4 SINK	<1.00	06/01/2022	
22-05-04595-046	CBL-47-LAV	05/20/2022	CBL - ROOM 4 LAV	1.21	06/01/2022	
22-05-04595-047	CBL-48-SB	05/20/2022	CBL - ROOM 7 SINK	1.18	06/01/2022	
22-05-04595-048	CBL-49-SB	05/20/2022	CBL - ROOM 101 SINK	2.61	06/01/2022	
22-05-04595-049	CBL-50-LAV	05/20/2022	CBL - ROOM 101 LAV	1.81	06/01/2022	
22-05-04595-050	CBL-51-SB	05/20/2022	CBL - ROOM 102 SINK	<1.00	06/01/2022	
22-05-04595-051	CBL-52-LAV	05/20/2022	CBL - ROOM 102 LAV	1.53	06/01/2022	
22-05-04595-052	CBL-53-CS	05/20/2022	CBL - ROOM 104 CUST SINK	<1.00	06/01/2022	
22-05-04595-053	CBL-54-SB	05/20/2022	CBL - ROOM 106 SINK	1.25	06/01/2022	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 22-05-04595

Project/Test Address: 220068; CBL; 46 Schoolhouse Rd; Wrightstown, NJ
08562

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
22-05-04595-054	CBL-55-LAV	05/20/2022	CBL - ROOM 106 LAV	1.02	06/01/2022	
22-05-04595-055	CBL-56-SB	05/20/2022	CBL - ROOM 108 SINK	<1.00	06/01/2022	
22-05-04595-056	CBL-57-LAV	05/20/2022	CBL - ROOM 108 LAV	2.27	06/01/2022	
22-05-04595-057	CBL-58-SB	05/20/2022	CBL - ROOM 109 SINK	<1.00	06/01/2022	
22-05-04595-058	CBL-59-LAV	05/20/2022	CBL - -ROOM 109 LAV	1.53	06/01/2022	
22-05-04595-059	CBL-60-SB	05/20/2022	CBL - ROOM 110 SINK	<1.00	06/01/2022	
22-05-04595-060	CBL-61-LAV	05/20/2022	CBL - ROOM 110 LAV	2.51	06/01/2022	
22-05-04595-061	CBL-62-SB	05/20/2022	CBL - ROOM 112 SINK	<1.00	06/01/2022	
22-05-04595-062	CBL-63-LAV	05/20/2022	CBL - ROOM 112 LAV	<1.00	06/01/2022	
22-05-04595-063	CBL-64-SB	05/20/2022	CBL - ROOM 113 SINK	<1.00	06/01/2022	
22-05-04595-064	CBL-65-LAV	05/20/2022	CBL - ROOM 113 LAV	<1.00	06/01/2022	
22-05-04595-065	CBL-66-S	05/20/2022	CBL - ROOM 120 SINK	<1.00	06/01/2022	
22-05-04595-066	CBL-67-MOLL	05/20/2022	CBL - MAIN OFFICE LAV LEFT	<1.00	06/01/2022	
22-05-04595-067	CBL-68-MOLR	05/20/2022	CBL - MAIN OFFICE LAV RIGHT	<1.00	06/01/2022	
22-05-04595-068	CBL-69-SB	05/20/2022	CBL - ROOM 121 SINK	<1.00	06/01/2022	
22-05-04595-069	CBL-70-SB	05/20/2022	CBL - ROOM 122 SINK	<1.00	06/01/2022	
22-05-04595-070	CBL-71-SB	05/20/2022	CBL - ROOM 123 SINK	<1.00	06/01/2022	
22-05-04595-071	CBL-72-S	05/20/2022	CBL - ROOM 125 SINK	<1.00	06/01/2022	
22-05-04595-072	CBL-73-SB	05/20/2022	CBL - ROOM 126 SINK	<1.00	06/01/2022	
22-05-04595-073	CBL-74-SB	05/20/2022	CBL - ROOM 127 SINK	<1.00	06/01/2022	

Environmental Hazards Services, L.L.C

Client Number: 201327
Project/Test Address: 220068; CBL; 46 Schoolhouse Rd; Wrightstown, NJ 08562

Report Number: 22-05-04595

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
22-05-04595-074	CBL-75-LAV	05/20/2022	CBL - HALL LAV NEAR ROOM 121	<1.00	06/01/2022	
22-05-04595-075	CBL-76-WC	05/20/2022	CBL - WC NEAR ROOM 121	<1.00	06/01/2022	
22-05-04595-076	CBL-77-LAV	05/20/2022	CBL - GIRL LAV 1998	1.17	06/01/2022	
22-05-04595-077	CBL-78-LAV	05/20/2022	CBL - BOY LAV 1998	<1.00	06/01/2022	
22-05-04595-078	CBL-79-CS	05/20/2022	CBL - CUSTODIAL SINK 1998	<1.00	06/01/2022	
22-05-04595-079	CBL-80-S	05/20/2022	CBL - ROOM 128 SINK	<1.00	06/01/2022	
22-05-04595-080	CBL-81-LAV	05/20/2022	CBL - ROOM 128 LAV	<1.00	06/01/2022	
22-05-04595-081	CBL-82-S	05/20/2022	CBL - ROOM 129 SINK	<1.00	06/01/2022	
22-05-04595-082	CBL-159-LAV	05/20/2022	CBL - MAINT GARAGE ROOM 104 LAV	<1.00	06/01/2022	
22-05-04595-083	CBL-160-LAV	05/20/2022	CBL - MAINT GARAGE ROOM 106 LAV	<1.00	06/01/2022	
22-05-04595-084	CBL-161-S	05/20/2022	CBL - MAINT GARAGE ROOM 108 SINK	<1.00	06/01/2022	
22-05-04595-085	CBL-162-S	05/20/2022	CBL - MAINT GARAGE ROOM 111 SINK	<1.00	06/01/2022	
22-05-04595-086	CBL-163-DW	05/20/2022	CBL - MAINT GARAGE HALL DW	<1.00	06/01/2022	
22-05-04595-087	CBL-164-SS	05/20/2022	CBL - MAINT GARAGE SHOP SINK	<1.00	06/01/2022	
22-05-04595-088	CBL-SR-S	05/20/2022	CBL - SUNROOM SINK	<1.00	06/01/2022	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 22-05-04595

Project/Test Address: 220068; CBL; 46 Schoolhouse Rd; Wrightstown, NJ
08562

Lab Sample Number	Client Sample ID	Collection Date	Collection Location	Concentration ug/L (ppb)	Analysis Date	Narrative ID
----------------------	---------------------	--------------------	---------------------	-----------------------------	------------------	-----------------

Method: EPA 200.8

Analyst: Allison Rodriguez

Accreditation #: NJ VA008

Reviewed By Authorized Signatory:

Melissa Kanode

Melissa Kanode

QA/QC Clerk

Sample Results denoted with a "less than" (<) sign contain less than the reporting limit which is 1 ppb.

The EPA Maximum Contaminant Level for Lead in Drinking Water is 15 ppb. The results herein conform to NELAC standards, where applicable, unless otherwise narrated on this report. Results represent the analysis of samples submitted by the client. Sample location, description, field parameter results, etc., were provided by the client. This report cannot be reproduced, except in full, without written approval from Environmental Hazards Services, L.L.C.

LEGEND ug/L= micrograms per liter ppb = parts per billion